



# Horse Weigh®

## Horse Weigh® Weigh Scale Indicator Comparison Charts

### Contents

WEIGH SCALE INDICATORS XR3000 (Bluetooth and Standard) .....2

WEIGH SCALE INDICATORS ID3000 .....3

WEIGH SCALE INDICATORS EZIWEIGH5 AND 6 .....4

WEIGH SCALE INDICATION COMPARISON CHART .....5

PRODUCT FEATURE COMPARISON.....6

## WEIGH SCALE INDICATORS XR3000 (Bluetooth and Standard)



### XR3000 BLUETOOTH

**EID compatible weigh scale indicator with Bluetooth® technology**

Fully EID compatible with Bluetooth® technology for easy, wireless transfer of weigh data from indicator to computer for analysis. Enables convenient streamlined collection of data with automatic incrementing, repetition of common data and prefix option.

Wireless communication with EID readers and laptops up to 100m away

Fully EID capable

Up to 50,000 individual animal records

8 x 25 character file data fields with cross reference capabilities

Ability to record breed, sed, sire, dam

Custom fields

Statistics

Animal history tables

Weight gain and predictions

Up to 10 way drafting

On screen graphics

Weight gain line graphs

User configurable reports

Data filters

Available in: English (811047), Spanish (812509), Portuguese (812235), German (815955)

### XR3000

**Advanced EID compatible weigh scale indicator**

Fully EID compatible. Enables convenient, streamlined collection of data with automatic incrementing, repetition of common data and prefix option. Simple downloading and uploading of files to PC makes analysis away from the weigh site easy.

Fully EID capable

Up to 50,000 individual animal records

8 x 25 character file data fields with cross reference capabilities

Ability to record breed, sed, sire, dam

Custom fields

Statistics

Animal history tables

Weight gain and predictions

Up to 10 way drafting

On screen graphics

Weight gain line graphs

User configurable reports

Data filters

Available in: English (809018), Spanish (809019), Portuguese (809015), French (809017), German (809016)

## WEIGH SCALE INDICATORS ID3000



### ID3000

#### Entry level EID compatible weigh scale indicator

Fully EID compatible. Simple downloading and uploading of files to PC makes analysis away from the weigh site easy.

---

Fully EID capable

---

Up to 10,000 individual animal records

---

One 6 way digit and one 16 digit data field with cross referencing to enable dual ID numbers to be recorded.

---

One 4 digit code field per file for recording additional animal information

---

Up to 3 way drafting

---

Report printing of data, statistics and file summary info

---

Available in: English (811047), Spanish (812509), Portuguese (812235), French (805926), German (815955)

---

## WEIGH SCALE INDICATORS EZIWEIGH5 AND 6



### EziWeigh5

**An entry level read-out unit that is simple to use with professional level accuracy and speed.**

The new EziWeigh5 is ideal for those who want a no-nonsense, entry level weigh scale indicator that does the basics brilliantly. It is ideal for weighing situations where you want to quickly and easily collect the weights of your animals without the need to record additional data.

Ingress progression: IP67, 100% water and dustproof

---

**Auto Zero:** Ensures any accumulation of animal dirt on the platform or crate is zeroed out. User selectable on/off. The auto-zero key also controls the power up zero function.

---

**Bright red stable light:** You can easily identify when you have a stable weight.

---

**Highly visible display:** Large 35 mm display with a super bright white LED backlight to make it viewable in all conditions, from the brightest daylight conditions to darkness.

---

**Durable case:** All Tru-Test products are designed for the tough agricultural environment. The EziWeigh5 takes this to a new level with double walled construction for extra protection.

---

**Compatible:** The indicator is compatible with all load sensors currently available in the Tru-Test range including all load bars and the FastWeigh sheep crate. No calibration is required as EziWeigh 5 automatically recognises the load sensing device connected.

---

**Auto Power Off.** Automatically turns off after 15 minutes of no activity to save the battery.

---

**Fast Charging:** Mains charger can charge the battery in 3 hours.

### EziWeigh6

**Mid level EID (Electronic Identification) compatible read-out unit that is simple to use.**

Tru-Test's EziWeigh6 combines the best of EID (electronic identification) and VID (visual identification) compatible technology with incredible strength and durability.

Ingress progression: IP67, 100% water and dustproof

---

**Fully EID Capable:** Indicator that is designed specifically to connect to Tru-Test's XRP panel reader and is compatible with other brands of panel readers including stick / hand held readers.

---

**VID capable:** Enables visual identity number entry to cross reference with EID.

---

**USB Compatible:** Direct and easy communications with PCs and laptops through USB cable.

---

**Drafting capability:** Capable of three-way manual drafting by weight.

---

**Highly visible display:** Large 35 mm display with a super bright white LED backlight to make it viewable in all conditions, from the brightest daylight conditions to darkness.

---

**Durable case:** All Tru-Test products are designed for the tough agricultural environment. The EziWeigh6 takes this to a new level with double walled construction and rubber corner buffers for extra protection.

---

**Statistics:** Statistics from previous weighing sessions can be recalled.

---

**Compatible:** The indicator is compatible with all load sensors currently available in the Tru-Test range. No calibration is required as EziWeigh 6 automatically recognises the load sensing device connected.

---

**Auto Power Off:** Automatically turns off after 15 minutes of no activity to save the battery.

---

**Fast Charging:** Mains charger can charge the battery in 3 hours.

## WEIGH SCALE INDICATION COMPARISON CHART

	XR3000 Bluetooth	XR3000	ID3000	Eziweigh2 Discontinued	Eziweigh5	Eziweigh6
Superdamp III software	•	•	•	•	•	•
IP67 environmental standard	•	•	•	•	•	•
Bright stable light	•	•	•	•	•	•
Fine mode	•	•	•	•	•	•
Auto zero on / off	•	•	•	•	•	•
Span calibration	•	•	•	•	•	•
Internal battery	•	•	•	•	•	•
Serial communications	•	•	•			•
Basic statistics	•	•	•			
Approved for trade (EU, US)						
Drafting ranges	10	10	3			
Model upgradeable	•	•	•			
File date stamped	•	•	•			
Back-lit display	•	•	•		•	•
File capacity	200	200	50			50
EID capable	•	•	•			•
Link3000 interface	•	•	•			
Individual weight recording	•	•	•			•
Numeric keyboard	•	•	•			•
Total memory (individual records)	50000	50000	10000			10000
Alphabetic keypad	•	•	•			•
Weight gain prediction	•	•	•			
Group weighing	•	•				
Carcass weight calculation	•	•				
Value calculation (across 3 schedules)	•	•				
12 character code field(s)	•	•	•			
Customisable selection menus for data entry	•	•				
Animal history table	•	•				
On-screen graphing of data	•	•				
Data filtering	•	•				
User customisable reports	•	•				
Bluetooth enabled	•					

**Please note: The EziWeigh2 is now discontinued and has been replaced by the new generation of EziWeigh - EziWeigh 5 & 6**

## PRODUCT FEATURE COMPARISON

Features	XR3000 Bluetooth	XR3000	ID3000	EziWeigh2 Discontinued	EziWeigh5	EziWeigh6
Backlight display	•	•	•		•	•
Display size (mm)	LCD 240 x 128	LCD 240 x 128	LCD 240 x 128	18	35	35
USB	Adapter supplied	Adapter supplied	Adapter supplied			•
File stats	•	•	•			
Visual tag entry	•	•	•			
Drafting	Auto 10 way	Auto 10 way	Auto 3 way			
PC interface	Files and data	Files and data	Files and data			Via EziLink software
Code Fields	3	3	1			
Weight (kg)	1.6	1.6	1.6		1.1	1.2
Internal battery run time (hrs, backlight off)	Max: 13.5 hours Min: 9 hours	Max: 13.5 hours Min: 9 hours	Max: 13.5 hours Min: 9 hours		20	20
Ingress protection	IP67, 100% water and dust proof	IP67, 100% water and dust proof	IP67, 100% water and dust proof	IP67, 100% water and dust proof	IP67, 100% water and dust proof	IP67, 100% water and dust proof

***Please note: The EziWeigh2 is now discontinued and has been replaced by the new generation of EziWeigh - EziWeigh 5 & 6***